

CH2MHILL • BWXT West Valley, LLC

West Valley Demonstration Project

Ms. Angela M. Cooney, Contracting Officer
U. S. Department of Energy
550 Main St., Room 7-010
Cincinnati, OH 45202

AC-PRES
WD:2019:1036
November 5, 2019

SUBJECT: Contract No. DE-EM0001529, Section J-3, Item 127, State Pollutant Discharge Elimination System (SPDES) Discharge Monitoring Report (DMR) for the Period October 1 through October 31, 2019

Dear Ms. Cooney:

This letter is submitted for Contracting Officer Representative's approval to inform you that the SPDES DMR for the reporting period October 1 through October 31, 2019 has been submitted electronically. A copy of this submittal is attached as well as a copy of the email confirmation from the New York State Department of Environmental Conservation (NYSDEC).

If you have any questions, please contact William Kean at extension 4865 or Janice Williams at extension 2913.

Sincerely,



Scott A. Anderson
President & General Manager

SAA:WNK:bnj

Attachments: A) SPDES DMR for October 1 – October 31, 2019
B) Email Confirmation from NYSDEC

cc: B. C. Bower, DOE-WVDP
C. Chun, CHBWV
L. K. Hollfelder, CHBWV
W. N. Kean, CHBWV
D. P. Klenk, CHBWV
L. J. Ortega, CHBWV
J. T. Pillittere, CHBWV (Public Reading Room)
J. D. Rendall, CHBWV
J. E. Wangelin, CHBWV
J. D. Williams, CHBWV
Letter Log (B. Jeffery), CHBWV
CHBWV OITS #1830515

Attachment A
SPDES DMR

ATTACHMENT

**SPDES DISCHARGE MONITORING REPORT - OCTOBER 1 THROUGH OCTOBER 31, 2019
NET IRON EFFLUENT CONCENTRATION CALCULATION
WEST VALLEY DEMONSTRATION PROJECT, SPDES PERMIT NO. NY-0000973**

$$\begin{aligned} \text{OUTFALL 001} &= M1 = \frac{(X1 + X2) V1}{2} = 0 \text{ mg/month} \\ X1 &= 0.00 \text{ mg/L} \\ X2 &= 0.00 \text{ mg/L} \\ V1 &= 0.00 \text{ L/month} \end{aligned}$$

Note: There was no discharge from outfall 001 during this monitoring period.

$$\begin{aligned} \text{OUTFALL 007} &= M7 = \frac{(X1 + X2) V7}{2} = 0.00 \text{ mg/month} \\ X1 &= 0.00 \text{ mg/L} \\ X2 &= 0.00 \text{ mg/L} \\ V7 &= 0.00 \text{ L/month} \end{aligned}$$

Note: There was no discharge from outfall 007 during this monitoring period.

$$\begin{aligned} \text{RAW WATER} &= MRW = \frac{(X1 + X2 + X3 + X4) VRW}{4} = 0.00 \text{ mg/month} \\ X1 &= 0.00 \text{ mg/L} \\ X2 &= 0.00 \text{ mg/L} \\ X3 &= 0.00 \text{ mg/L} \\ X4 &= 0.00 \text{ mg/L} \\ VRW &= 0.00 \text{ L/month} \end{aligned}$$

Note: Raw water from the reservoir system is no longer used for process water since the site installed two groundwater wells. This eliminated the need to collect raw water samples on a weekly basis and altered the iron discharge concentration equation as the mass of iron entering the system is no longer necessary.

$$\text{IRON DISCHARGE CONCENTRATION} = \frac{M1 + M7 - MRW}{V1 + V7} = 0.00 \text{ mg/L}$$

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

U.S. DEPT OF ENERGY

User: william.kean@chbwv.com
Name: William Kean
E-Mail: william.kean@chbwv.com
Date/Time: 2019-10-31 06:47 (Time Zone: -04:00)

Report Last Signed By

User: janice.williams@chbwv.com
Name: Janice Williams
E-Mail: janice.williams@chbwv.com
Date/Time: 2019-10-31 14:30 (Time Zone: -04:00)

DMR Copy of Record

Permit

Permit #:	NY0000973	Permittee:	U.S. DEPT OF ENERGY	Facility:	WEST VALLEY DEMONSTRATION PROJ
Major:	Yes	Permittee Address:	1000 INDEPENDENCE AVE SW WASHINGTON, DC 20585	Facility Location:	10282 ROCK SPRINGS ROAD WEST VALLEY, NY 14171-9799
Permitted Feature:	01B Internal Outfall	Discharge:	01B-M MERCURY PRETREATMENT		

Report Dates & Status

Monitoring Period:	From 10/01/19 to 10/31/19	DMR Due Date:	11/28/19	Status:	NetDMR Validated
--------------------	---------------------------	---------------	----------	---------	------------------

Considerations for Form Completion

Principal Executive Officer

First Name:	Bryan C.	Title:	Director, USDOE-WVDP	Telephone:	716-942-4368
Last Name:	Bower				

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type				
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units		
00056	Flow rate	1 - Effluent Gross	0	--	Sample																
					Permit Req.	Req Mon MO AVG		Req Mon DAILY MX	07 - gal/d											01/07 - Weekly	CN - CONTIN
					Value NODI	C - No Discharge		C - No Discharge													
71900	Mercury, total [as Hg]	1 - Effluent Gross	0	--	Sample																
					Permit Req.							Req Mon MO AVG <=	50 DAILY MX	3M - ng/L						02/BA - Twice Per Batch	GR - GRAB
					Value NODI							C - No Discharge		C - No Discharge							

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

U.S. DEPT OF ENERGY

User: william.kean@chbvw.com
 Name: William Kean
 E-Mail: william.kean@chbvw.com
 Date/Time: 2019-10-31 06:47 (Time Zone: -04:00)

Report Last Signed By

User: janice.williams@chbvw.com
 Name: Janice Williams
 E-Mail: janice.williams@chbvw.com
 Date/Time: 2019-10-31 14:30 (Time Zone: -04:00)

DMR Copy of Record

Permit																		
Permit #:	NY0000973				Permittee:	U.S. DEPT OF ENERGY				Facility:	WEST VALLEY DEMONSTRATION PROJ							
Major:	Yes				Permittee Address:	1000 INDEPENDENCE AVE SW WASHINGTON, DC 20585				Facility Location:	10282 ROCK SPRINGS ROAD WEST VALLEY, NY 14171-9799							
Permitted Feature:	SUM Internal Outfall				Discharge:	SUM-N SUM OF OUTFALLS 1 & 7												
Report Dates & Status																		
Monitoring Period:	From 10/01/19 to 10/31/19				DMR Due Date:	11/28/19				Status:	NetDMR Validated							
Considerations for Form Completion																		
Principal Executive Officer																		
First Name:	Bryan C.				Title:	Director, USDOE-WVDP				Telephone:	716-942-4368							
Last Name:	Bower																	
No Data Indicator (NODI)																		
Form NODI:	--																	
Parameter	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type		
Code	Name			Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
01045	Iron, total [as Fe] 2 - Effluent Net	0	--	Sample														
				Permit Req.									Req Mon MO AVG <=	1 DAILY MX	19 - mg/L		01/30 - Monthly	CA - CALCTD
				Value NODI									C - No Discharge	C - No Discharge				
Submission Note																		
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																		
Edit Check Errors																		
No errors.																		
Comments																		
Attachments																		
												Name	Type	Size				
												WVDP_October_2019_Net_Iron_Calculation.pdf	pdf	289923				
Report Last Saved By																		
U.S. DEPT OF ENERGY																		
User:	william.kean@chbwv.com																	
Name:	William Kean																	
E-Mail:	william.kean@chbwv.com																	
Date/Time:	2019-10-31 06:47 (Time Zone: -04:00)																	
Report Last Signed By																		
User:	janice.williams@chbwv.com																	
Name:	Janice Williams																	
E-Mail:	janice.williams@chbwv.com																	
Date/Time:	2019-10-31 14:30 (Time Zone: -04:00)																	